Analysis of carrying capacity of agricultural land in Bali Province, 2021-2022

Anindya Salsabila Ardyanita¹, Fauzian Nur Azizah¹, Muhammad Zayyin Asrofi¹ and Ratih Fitria Putri^{1*}

¹Department of Environmental Geography, Faculty of Geography, Universitas Gadjah Mada, Indonesia

Abstract. An analysis of the carrying capacity of agricultural land needs to be carried out to find out whether an area is self-sufficient in food or not based on the calorie needs of its population. This study aims to determine the carrying capacity of the weapons fields in the Province of Bali in 2021-2022. The research method used for the analysis of the carrying capacity of the Bali Province land is quantitative research. Calculation of the value of Agricultural Land Carrying Capacity based on the combined theory of Odum, Christeiler, Ebenezer Howard, and Isard. The results of this study indicate that the level of carrying capacity of agricultural land in the Province of Bali according to districts/cities in 2021-2022 is dominated by class III, which means that the Province of Bali has not been able to be self-sufficient in food and has not been able to meet the food needs of the community properly.

1 Introduction

Astronomically, Bali Province is located at $8^{\circ} 3' 38'' - 8^{\circ} 50' 56''$ South Latitude and $114^{\circ} 25' 53'' - 115^{\circ} 42'39''$ East Longitude. In general, it can be seen that Bali island is famous for its tourism sector, but Bali island isalso famous for its agricultural sector. This is evidencedby the subak system which has become a world cultural heritage. The subak system itself can be defined as an irrigation system that is related to customary law and has characteristics, namely social-agriculture-religious [1]. Bali also has agricultural indicators which do not only consist of rice fields, but also plantations, tubers, and crops. The potential ofProvince Bali in the tourism and agricultural sectors needs to be balanced so that there is no imbalancebetween the two sectors.

The population continues to increase and the development activities carried out have confiscated the function of agricultural land to produce food which is replaced by other uses, such as housing, offices and others [2] [3] [4]. Many agricultural lands with high land potential in Bali Province have been converted as nonagricultural land for various activities. This will have a negative impact, which will reduce the ability of agricultural land to meet the food needs of the population. The area of agricultural land that remains constant with a large population growth will cause the availability of agricultural land to become smaller. If this is allowed, there will be an imbalance in the population working as farmers in an area with the existing agricultural land area. As a result, population pressure on agricultural land will be even greater or in other words the area will no longer be able to meet the food needs of its population.

Responding phenomenon, to the above development in the agricultural sector must be further enhanced by knowing the characteristic factors of agricultural sector development in Bali Province. The characteristics of agricultural development can be reviewed through the analysis of the carrying capacity of agricultural land. Therefore, it is necessary and important to carry out an analysis of the carrying capacity of agricultural land to determine the ability of the land to provide food to meet the needs of the population in a certain area and at a certain time and to be able to describe the actual state of agriculture in an area. The purpose of this research is to determine the level of carrying capacity of agricultural land (rice) in Bali Province in 2021-2022. Thus, the availability of paddy fields to support the needs of the population can be calculated, and the balance between the tourism sector and the agricultural sector in the Province of Bali can be determined [5].

2 Materials and methods

The research method used for the analysis of the carrying capacity of Province Bali land is quantitative research. The data collected and used is secondary data from various publications issued by Badan Pusat Statistik (BPS) Province Bali, which includes rice harvested area, population, and average rice production by district/city in 2021 and 2022. Calculation of the value The carrying capacity of agricultural land is based on the combined theory of Odum, Christeiler, Ebenezer Howard, and Isard, which is formulated as follows [6]:

$$\sigma = \frac{\frac{Lp}{Pd}}{\frac{KFM}{Pr}}$$

© The Authors, published by EDP Sciences. This is an open access article distributed under the terms of the Creative Commons Attribution License 4.0 (https://creativecommons.org/licenses/by/4.0/).

^{*}Corresponding author: ratihfitria.putri@ugm.ac.id

 σ = Carrying capacity of agricultural landLp = Paddy harvested area (ha) Pd = Total population (people) Pr = Average rice production per hectare (kg/ha) KFM = Minimum Physical Needs (kg/capita/year),which is 265

The land carrying capacity values obtained are thenclassified into three classes, namely:

- 1. Class I ($\sigma > 2.46$): areas that are self-sufficient in food and able to provide a decent life for its inhabitants.
- 2. Class II $(1 \le \sigma \le 2,46)$: areas that are capableof self-sufficiency in food, but have not been able to provide a decent life for its inhabitants.
- 3. Class III ($\sigma < 1$): areas that have not been able to be self-sufficient in food and have not been able to meet the food needs of the community properly.

The analytical method used is spatial-temporal.

3 Results and discussion

[7] suggests that land capability implies land carrying capacity. Land capability is defined as land quality which is assessed as whole with the definition of land capability in fulfilling human needs. In general, the carrying capacity of agricultural land can increase or decrease depending on the factors that influence it. Food crops are plants that produce main food ingredients, such as: paddy (producing rice), pulses (producing corn), beans and tubers. Meanwhile, selfsufficiency in food is an attemptto meet one's own food needs by cultivating food cropssuch as seleria (rice and the like).

[8] revealed that a decrease in the carrying capacity of agricultural land can be caused by an increase in population, population growth can result in a decrease in the area of land that can be cultivated, the percentage of the number of farmers and the area of land needed for a decent life. According to [9], to overcome the decline in the carrying capacity of land can be done in several ways, such as: 1). Land conservation, namely changing the type of land use towards a more profitable business butstill adjusted to the area, 2). Land intensification, namely in using new technology in farming, and 3). Land conservation, namely efforts to prevent land loss.

Damage to natural resources and the environment isclosely related to the increase in population growth and the pattern of distribution that is not evenly distributed. The most critical environmental damage problem is population pressure, especially in the agricultural sector. This problem continues to increase over time, as a resultof which population growth and land use for development are higher than the availability of agricultural land. The ever-increasing population has ledto a much higher population growth rate than the expansion of land for food crops. Community behaviour factors towards the land affect the carrying capacity of the land itself. The decline in the quality of land resources due to the increasingly complex demand for land ownership has resulted in a decrease in land support data.

Population pressure generally occurs in areas that have low land carrying capacity in terms of soil fertility. However, in practice this theory is not fully applicable. Such is the case in the Province of Bali which has fertile agricultural land but is still experiencing high population pressure due to the development of the tourism sector. The existence of population growth willrequire an increase in the need for clothing, food, and boards. The imbalance of population growth with increasing needs greatly affects the state of the environment, namely the environment will be exploitedon a large scale.

The sustainability of the carrying capacity of land is strongly influenced by human owners or land managersand geomorphological processes that occur in the form of erosion and soil movement, these processes are the causes of land degradation. The form of land use is basically a tangible manifestation of the interaction process that occurs between human activities and land resources in an effort to meet needs and improve their standard of living [10]. Within the same area, the carrying capacity of the land can be of differentvalues. This is due to the different approach, for areas where the majority of the population lives from the agricultural sector, the carrying capacity of the land canbe calculated through food production. In terms of calculation, it can be calculated from the minimum physical requirements (KFM) in terms of calorie needs per person per day, namely 2600 or 265 kg of rice per person per year.

The area of food crop land is an important component in measuring the carrying capacity of agricultural land. The smaller the value of the area of food crop land, the better the level of carrying capacity of agricultural land. Another important component in calculating the carrying capacity of agricultural land is the harvested area of food crops which is based on the amount per capita. The value of the harvested area of food crops tends to change both between regions and over time. The value of the area harvested for food crops is inversely proportional to the area of food crop land. The greater the value of the harvested area, the better the level of carrying capacity of agricultural land in the area [11].

The results of the research carried out based on secondary data obtained in BPS publications show that the level of carrying capacity of agricultural land in the Province of Bali in both 2021 and 2022 is classified based on the Regency/City dominated by class III according to the classification of the level of carrying capacity of agricultural land. This means that the Province of Bali has not been able to be self-sufficient in food and has not been able to meet the food needs of the community properly. However, there is one district that has grade II scores, namely Tabanan. In 2022 Tabanan has a value of 1,361 agricultural land carrying capacity which can be classified based on its class, namely class II. This means that Tabanan has been able to be self-sufficient in food but has not been able to provide a decent life for its inhabitants.

No	Regency / City	Carrying capacity of agricultural land	Classification
1	Jembrana	0.589	Class III
2	Tabanan	1.353	Class II
3	Badung	0.620	Class III
4	Gianyar	0.086	Class III
5	Klungkung	0.446	Class III
6	Bangli	0.283	Class III
7	Karangasem	0.308	Class III

 Table 1. Carrying capacity of agricultural land according to the Regency/City of Bali Province in 2021

Source: BPS Bali Province

Buleleng

Table 2. Carrying capacity of agricultural land according
to the Regency/City of Bali Province in 2022


0.388


Class III

No	Regency / City	Carrying capacity of agricultural land	Classification
1	Jembrana	0.669	Class III
2	Tabanan	1.361	Class II
3	Badung	0.683	Class III
4	Gianyar	0.963	Class III
5	Klungkung	0.454	Class III
6	Bangli	0.306	Class III
7	Karangasem	0.384	Class III
8	Buleleng	0.415	Class III

Source: BPS Bali Province

Furthermore, the trend of land carrying capacity that occurs in the Province of Bali from 2021 to 2022 can be seen through Figure 1. The total population in the Province of Bali in 2021 will be lower than the Provinceof Bali in 2022. However, in general, this growth will not increase too much. Based on the value of the carrying capacity of the land in the Province of Bali, the Tabanan region has a higher DDL value compared to other districts/cities. The high carrying capacity of agricultural land is due to a decrease in populationbetween 2021 and 2022. This decrease can be caused bythe Covid-19 pandemic outbreak. This figure has no significant effect on the classification of the carrying capacity of agricultural land.





4 Conclusion

The level of carrying capacity of agricultural land in the Province of Bali according to districts/cities in 2021-2022 is dominated by class III, which means that the Province of Bali has not been able to be selfsufficient in food and has not been able to meet the food needs of the community properly. However, there is onedistrict that has grade II scores, namely Tabanan. This means that Tabanan Regency has been able to be self-sufficient in food but has not been able to provide a decent life for its inhabitants.

References

- 1. Kumarananda, I. (2022). *Asal Mula Sistem Subak di Bali*. Bali: Dinas Pertanian dan Ketahanan Pangan Provinsi Bali.
- Lagarense, V. (2015). Faktor-faktor yang Mempengaruhi Alih Fungsi Lahan Pertanian di Kabupaten Minahasa Selatan. *Cocos*, 1-12.
- U. Kafafa, H. Nadia, G. O. Fadilah, A. W. Abadi, R. F. Putri, Carrying capacity trend and projection analysis for Sumatra Selatan agricultural land in 2030, in IOP Conf. Ser.: Earth Environ. Sci. 451 0120. (2020)
- N. Salma, M. Askarina, S. Romadhoniastri, A. F. Azahra, D. Karim, M. N. Isnain, R. F. Putri, *Study* of agricultural economic potential in West Kalimantan using Regional Analysis Techniques in E3S Web of Conferences 325, 07008 (2021)
- 5. Imansyah, I., Harisandi, D., Tamia, N., &

Rahmawati, D. (2020). Analisis Daya Dukung Lahan Pertanian Terhadap Tekanan Penduduk Di Desa Sandik. *Media Komunikasi Geografi*, 21(2), 120-129.

- Suhardjo & Tukiran. (1990). Studi Literatur Konsep yang Sudah Ada Mengenai Wilayah. Jakarta: Kantor Menteri Negara Kependudukan dan Lingkungan Hidup. 1.
- Notohadiprawiro. (1987). Tanah, Tata Guna Lahan, dan Tata Ruang dalam Analisis Dampak Lingkungan. Yogyakarta: Universitas Gadjah MadaPress.
- 8. Mantra, I, B. (1986). *Pengantar Studi Demografi*. Yogyakarta: Nur Cahaya
- 9. Hardjasoemantri. (1989). *Hukum Tata Lingkungan*. Edisi Ke-empat. Yogyakarta: Universitas Gadjah Mada Press.
- Soerjani. (1987). Lingkungan: Sumberdaya Alam, Kependudukan, dalam Pembangunan. Jakarta: Universitas Indonesia Press.
- Ariani, R., & Harini, R. (2012). Tekanan Penduduk Terhadap Lahan Pertanian di Kawasan Pertanian (Kasus Kecamatan Minggir dan Moyudan). Jurnal Bumi Indonesia, 1 (3), 77229.
- Apriyanto, M. (2022). Lahan Pertanian Panagan Berkelanjutan. Mulono Apriyanto. ISBN: 9786233489874.
- Cahyanto, A., & Fikriyah, V. N. (2022). Analisis Daya Dukung Lahan dan Proyeksi Kebutuhan Lahan Pertanian di Kabupaten Klaten (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- 14. Esti S dan Suwarno. (2004). Pola spasial konversi lahan pertanian dan faktor-faktor yang berpengaruh di Purwokerto. *Jurnal Penelitian dan Pengabdian Masyarakat Saintek*. No.1 2004
- Herlindawati, A., Trimo, L., & Noor, T. I. (2018). Analisis Tekanan Penduduk Terhadap Petani Padi Sawah. *Mimbar Agribisnis: Jurnal Pemikiran Masyarakat Ilmiah Berwawasan Agribisnis, 4*(1), 12-24.
- Jayadi, I. M. Y., Christiawan, P. I., & Sarmita, I. M. (2017). Dampak Pertumbuhan Penduduk Terhadap Daya Dukung Lahan Pertanian Di Desa Sambangan. Jurnal Pendidikan Geografi Undiksha, 5(2).
- Mardhatil, M., Purwati, I., & Iskarni, P. (2020). Analisis Tekanan Penduduk Terhadap Lahan Pertanian Sawah Kabupaten Pemalang, Jawa

Tengah. Jurnal Kependudukan dan Pembangunan Lingkungan, 1(3), 1-9.

- Mubarokah, N., Rachman, L. M., & Tarigan, S. D. (2020). Analisis daya dukung lahan pertanian tanaman pangan daerah aliran Sungai Cibaliung, Provinsi Banten. *Jurnal Ilmu Pertanian Indonesia*, 25(1), 73-80.
- Muta'ali, L. (2012). Daya Dukung Lingkungan untuk Perencanaan Pengembangan Wilayah. Badan Penerbit Fakultas Geografi (BPFG) UGM. Yogyakarta
- Muta'ali, L. (2015). Teknik Analisis Regional untuk Perencanaan Wilayah, Tata Ruang dan Lingkungan. Badan Penerbit Fakultas Geografi (BPPFG) Universitas Gadjah Mada. Yogyakarta.
- 21. Moniaga, V. R. (2011). Analisis daya dukung lahan pertanian. *Agri-Sosioekonomi*, 7(2), 61-68
- 22. N. Salma, M. Askarina, S. Romadhoniastri, A. F. Azahra, D. Karim, M. N. Isnain, R. F. Putri, *Study* of agricultural economic potential in West Kalimantan using Regional Analysis Techniques in E3S Web of Conferences 325, 07008 (2021)
- 23. Prasetyo, D., & Dermawan, V. (2015). Kajian Penanganan Sedimentasi Sungai Banjir Kanal Barat Kota Semarang (Study of Sedimentation Mitigation West Floodway Semarang City). Jurnal Teknik Pengairan: Journal of Water Resources Engineering, 6(1), 76-87.
- 24. Rusli, S., Widono, S., dan Indriana, H. (2009), Tekanan penduduk dan, overshoot ekologi pulau jawa, dan masa pemulihannya. *Jurnal Sodalit*, 3(1)
- Soemarwoto, O. (1985). A Qualitative of Population Pressure and It's Potential Use in Development Planning. *Majalah Demografi Indonesia*, Vol.12 (24). Jakarta
- 26. Soemarwoto, O. (1994). *Ekologi, Lingkungan Hidup dan Pembangunan*. Djambatan. Bandung
- 27. Umar, S. (2020). Perspektif Ekonomi Kesatuan Pengelolaan Hutan (Kph). Deepublish