

Progress in Photocatalytic Degradation of Organic Wastewater by Graphene Binary Composites

Xue-qin Wang¹, Qin He^{2,*}

¹ Chongqing College of Architecture and Technology, Chongqing 401331, China

² China West Normal University, Sichuan 637002, China

Abstract. Graphene composites not only have most advantages of graphene, but also have the characteristics of easy regulation, morphology and so on. Among many applications, graphene composite photocatalytic degradation of organic wastewater is one of the most likely graphene technologies. At present, the most studied graphene complexes include graphene monophyletic complex, graphene binary complex and graphene ternary complex. In this paper, the preparation of graphene binary complex and the research status of photocatalytic degradation of organic wastewater are summarized, and the existing problems are analyzed in order to provide a reference for the further research and application of graphene complex photocatalytic degradation of organic wastewater.

1 Preparation and application of graphene and its complexes

1.1. Properties and preparation of graphene and its complexes

Graphene, also known as monolayer graphite, is a honeycomb-like two-dimensional planar material formed by the hybridization of carbon atoms through sp² electron orbitals and arranged in hexagons^[1]. It is the thinnest two-dimensional nanomaterials known at present. The unique structure of graphene makes it have many excellent properties, such as good electrical conductivity(The velocity of electrons in graphene is about 1/300 of the speed of light, much higher than that of electrons in ordinary conductors), good thermal conductivity^[2], high mechanical strength (Its strength is more than 100 times that of steel)^[3], strong adsorption ability(Because of its large surface area) and photoelectric conversion performance^[4].

In order to improve the properties of graphene, scientists and researchers have prepared a variety of graphene materials, including modified graphene materials and graphene composites. Although the modified graphene materials are more dispersed and active than single graphene, they can not give full play to the function of graphene. At present, the starting point and breakthrough point of the research and application of graphene materials is graphene composites^[5]. The application of graphene is inseparable from the preparation of graphene and its composites. There are three main methods for preparing graphene complex, namely solution blending method, original polymerization method and melt blending method^[6].

1.2. Research and application of graphene composites for sewage treatment

The research of graphene complex for wastewater treatment mainly focuses on organic wastewater and heavy metal wastewater. According to the principle, the treatment of refractory organic wastewater by graphene complex can be divided into adsorption and catalytic degradation two types. Graphene complex shows super ability to adsorb organic pollutants with huge specific surface area, but there are still many shortcomings^[7-8], such as the toxicity of graphene complexes to animals and plants, the difficulty of separation and recovery from aqueous solution after adsorption of pollutants, the existence of regeneration and bad utilization performance is not good enough, which may cause serious secondary pollution to the environment^[9-10]. The preparation process of graphene complexes is complicated and the production cost is high. The study of adsorption of organic pollutants is still in the stage of model pollutants, which is not suitable for large-scale batch production and practical application^[11-12].

Because graphene has excellent electron transport properties, it can be combined with photocatalytic materials to effectively exert the synergistic effect of the two and further enhance the photocatalytic properties of the composites^[13]. Photocatalysis refers to the catalytic reaction of photocatalyst under the action of light, which can mineralize organic pollutants into simple inorganic substances such as CO₂ and H₂O^[14]. Hence, the photocatalytic action of graphene complexes can realize the catalytic degradation of organic pollutants using non-toxic solar energy resources, avoiding secondary pollution to the environment, and is an economical,

* Corresponding author: hq88221@126.com

simple, efficient and promising wastewater treatment method^[15]. In this paper, the preparation and application of graphene binary photocatalytic complex are summarized. In general, the role of graphene materials in photocatalytic properties is mainly reflected in three aspects, its large specific surface area and enhanced adsorption capacity of composites, its high electron transfer ability (which can be used as electron acceptor to delay the recombination of electron-hole pairs) and enhance the photocatalytic activity.

2 Preparation and application of graphene binary photocatalytic complex

Graphene binary complexes mainly include graphene binary complexes, graphene oxide binary complexes and reduced graphene oxide binary complexes.

2.1. Graphene binary complex

Lui et al synthesis of graphene-encapsulated nanocomposites by solvothermal reaction, whose photocatalytic degradation Methyl blue activity is 1.49 times higher than commercial p25, When the graphene load is 5%, The photocatalytic performance is the highest^[16]. This is due to the excellent conductivity of graphene, promoted Methyl blue degradation.

Wang Xinzhi^[14] synthesized graphene/TiO₂ nanotubes (GN-TNT) from commercial TiO₂ nanoparticles as titanium source. When dyes and As(III) coexist, GN-TNT still have good visible light degradation efficiency for Methyl blue, Reactive Black 5 dyes and As(III) ions. However, compared with the single existence system, the degradation efficiency of pollutants in the coexistence system is reduced.

Lv Huimin et al^[17] prepared graphene / TiO₂ complex by sol-gel method with butyl titanate as titanium source. It has good photocatalytic effect. The decomposition rate is up to 95.24% under the condition of sunlight.

Chen lidong et al.^[18] reviewed the current preparation methods of ZnO composites with graphene and the current research status of photocatalytic degradation of pollutants such as rhodamine B, methylene blue and crystalline violet dyes, indicating that ZnO-graphene nanocomposites materials exhibit significant advantages in photocatalytic applications. However, most of the studied pollutants are dyes, and the removal and mechanism of other organic pollutants and new refractory pollutants are less studied.

In addition to TiO₂ and ZnO, graphene can also form composites with other metal oxides and compounds as photocatalytic materials. At present, researchers have prepared CdS, ZnS, WO₃, CuO, Mn₃O₄, Mn₂O₃, SnO₂ and other graphene photocatalytic complexes^[19-22].

2.2. Graphene oxide (GO) binary complex

Wang Zhao et al^[23] prepared TiO₂/ graphene composites by hydrothermal method, The photocatalytic activity of Rhodamine B was significantly higher than that of TiO₂ prepared under the same conditions.

Chen et al^[24] prepared GO/TiO₂ composites using TiCl(3) and graphene oxide (GO) as raw materials to study the degradation of methyl orange (MO) under visible light.

Zhang et al.^[25] found that the degradation efficiency of GO-TiO₂ complex to methyl orange is still high after several consecutive cycles under ultraviolet light, but the conversion rate of methyl orange decreases after each cycle, which is due to the formation of TiO₂ agglomerated particles on both sides of the GO. This agglomeration results in a decrease in the contact area between MO molecules and TiO₂ particles and a decrease in photodegradation efficiency. when the composite was exposed at room temperature for 4 weeks, it could restore its relatively stable photocatalytic degradation performance to MO, but after 8 weeks, its degradation activity.

Li^[26] synthesized high performance ZnO/GO nanocomposites by simple chemical deposition, Under visible light, The photocatalytic degradation efficiency of organic dyes is obviously improved compared with GO and ZnO particles, and annealing in N₂ gas can further improve the photocatalytic efficiency.

Duan Yuandong^[27] et al. used Hummers improved method to obtain the complex CO₃O₄/GO, and investigated the effects of several inorganic salt ions on catalytic degradation polyvinyl alcohol in the presence of oxidant. The results show that the catalytic activity of CO₃O₄/GO is high, H₂PO₄⁻ can promote the degradation reaction of polyvinyl alcohol, and As the pH approaches neutral, the more favorable the reaction is.

Er et al.^[28] synthesized TiO₂/graphene composites, Used for photocatalytic degradation of simulated antibiotic wastewater, and the optimum treatment process conditions were determined.

Guo Sheng et al. proved that under visible light, And when the GO mass fraction is 5%, The degradation rate of GO-FePO₄ composites to RB is 2.87 times that of pure FePO₄ and can be reused^[29]. Similarly, Ag₃PO₄-GO photodegradation rate of methyl orange was 1 times higher than that of pure Ag₃PO₄. The high photocatalytic activity and stability are mainly attributed to the rapid transfer of electrons from Ag₃PO₄ and GO^[30].

2.3. Reduced graphene oxide (RGO) binary complex

Zhang^[31] prepared RGO-TiO(2)(P25) nanocomposites by simple one-step hydrothermal method. Compared to pure p25 and p25-CNTs with the same carbon content, During the MB treatment, the reaction rate of the photocatalyst was obviously improved.

Yan^[32] proposed a novel microwave-assisted in situ growth method to prepare RGO-BiVO₄ composite photocatalyst, The photodegradation efficiency of ciprofloxacin is much higher than that of pure BiVO₄.

especially when the mass content is 2% RGO-BiVO₄ the ciprofloxacin degradation rate of composite photocatalyst is the highest (68.2% within 60 min). The improvement of photocatalytic activity is mainly due to the effective separation of electron hole pairs, rather than improving the light absorption.

Chen et al.^[33] synthesized ZnO/RGO composites by simple solvothermal reaction with obvious photocatalytic activity. Zinc vacancies and oxygen vacancies produced on the ZnO surface, which play a crucial role in the photocatalytic performance of the ZnO. In the photodegradation process of methylene orange, both zinc and oxygen vacancies can cause effective charge separation, which can obviously inhibit charge recombination.

Wu Zhimin^[34] prepared visible light responsive BiOCl-RGO composites with stable performance and enhanced catalytic activity, and analyzed the kinetic model of photocatalytic degradation of Rhodamine B and the reasons for the enhancement of catalytic activity. on the one hand, BiOCl can prevent RGO agglomeration and improve the adsorption of dyes. on the other hand, the adsorbed dyes can be degraded by visible light photocatalysis, which makes BiOCl-RGO composites free from recycling and suitable for industrial applications.

Lv et al.^[35] synthesized RGO modified ultralong TiO₂ nanotubes (LTNTs) by improved hydrothermal method and heating reflux method. Under visible light irradiation, the photocatalytic activity of the composites is higher than that of pure TNT, which also confirms that the RGO in the composites play an important role in making more effective use of sunlight and improving the separation efficiency of electron hole pairs.

3 Existing problems and prospects

- Because of the hydrophobicity and agglomeration tendency of graphene, graphene nanomaterials are easy to aggregate, which affects the photocatalytic performance of composites^[36]. The defects of the carbon atomic structure of graphene materials reduced by graphite oxide often lead to the decline of the properties of graphene materials. Therefore, the relationship between the preparation, structure and properties of graphene materials needs further study^[37].

- The effects of graphene materials on the environment needs further study^[37]. Development of graphene preparation technology with excellent performance, environment friendly and expandable production to provide guarantee for subsequent application research

- The photocatalytic degradation mechanism and degradation process of graphene composites to organic pollutants need to be further studied. At present, the laboratory degradation simulation wastewater is the main research, which is different from the actual wastewater quality, and the effect is not ideal in the actual water treatment application^[38].

- How to effectively treat and reuse graphene composites after degrading pollutants needs further study,

which restricts the application of graphene composites^[14].

References

1. Geim A K., Graphene: status and prospects. *science*, **324**, 1530-1534, (2009)
2. Park S, Ruoff R S. Chemical methods for the production of graphenes, *Nature Nanotechnology*, **4**, 217, (2009)
3. Young R J, Kinloch I A, Gong L, et al. The mechanics of graphene nanocomposites [J]: a review. *Composites Science & Technology*, **72**,1459-1476. (2012)
4. Bonaccorso, F Sun, Z. Hasan, et al. Graphene photonics and optoelectronics, *Nature Photonics*, **4**, 611-612, (2010)
5. J.R.Chen, M Zhou, N Song, et al. Preparation and Application of Graphene Composites in Dye Wastewater Treatment, *Proceedings of the 2015 Annual Conference of the Chinese Society of Environmental Sciences*, **2**, 2846, (2015)
6. Y. B. Liu, X. B. Zeng, C. M. Dai, et al. Advances in the Application of Graphene Nanocomposites in Water Treatment. *Materials Reports*, **7**,128-129, (2013)
7. F. Liu, F. T. Fan, Y.C. Lv, et al. Research Progress on Adsorption and Removal of Hard-degradable Organics by Graphene and Its Composites. *Acta Petrolei Sinica*, **4**, 863, (2016)
8. S. T. Yang, L. Q. Zhao, Advances in Preparation and Application of Graphene Adsorption Materials. *Journal of Southwest Minzu University (Natural Science Edition)*, **2**,216. (2014)
9. F Liu, F T Fan et al. Research Progress on Adsorption and Removal of Hard-degradable Organics by Graphene and Its Composites. *Acta Petrolei Sinica (Petroleum Processing Section)* **04**, 863, (2016)
10. D Y Feng, Y R Sun et al. Adsorption of heavy metal ions in water by graphene and its composites. *Jorunal of Functional Materials*. **46**,3009-3015(2015)
11. S N Sun,F Yu et al. Adsorption of organic matter and heavy metals in water by graphene and its composites. *Modern Chemical Industry*,**11**,35-36, (2015)
12. S T Tang, L Q Zhao et al. Advances in Preparation and Application of Graphene Adsorption Materials, *Journal of Southwest Minzu University (Natural Science Edition)*,**02**,216, (2014)
13. Z. L. Hu, X. F.Li et al. Research of graphene materials in water treatment. *Jorunal of Functional Materials*, S1,3. 2016
14. X. Z. Wang, Preparation of graphene/titanium dioxide nanotube composite photocatalyst and its application in wastewater treatment. Thesis of Yantai University, (2014)

15. Li J, Feng H, Jiang J, et al. One-pot in situ synthesis of a CoFe₂O₄ nanoparticle-reduced graphene oxide nanocomposite with high performance for levodopa sensing. *Rsc Advances*, **5**,121, 99669-99677, (2015)
16. Lui G, Liao J Y, Duan A, et al. Graphene-wrapped hierarchical TiO₂ nanoflower composites with enhanced photocatalytic performance. *Journal of Materials Chemistry A*, **1**, 12255-12262, (2013)
17. H. M. Lv, M. W. Tian, et al. Preparation and photocatalytic properties of graphene/titanium dioxide composite fabrics. *Journal of Qingdao University (Engineering & Technology Edition)*, **2**,65-70. (2016)
18. L. D. Chen, J. X. Liu, et al. Advances in photocatalytic degradation of pollutants ZnO-graphene composites, *Industrial Water Treatment*, **35**,17-20. (2015)
19. Khan Z T Chetia T R, Vardhaman A K, et al. Visiblelight assisted photocatalytic hydrogen generation and organic dye degradation by CdS-metal oxide hybrids inpresence of graphene oxide, *RSC Advances*, **2**, 12122-12128, (2012)
20. Chandra S, Das P, Bag S, et al. Mn₂O₃ decorated graphene nanosheet: An advanced material for the photocatalytic degradation of organic dyes, *Materials Science and Engineering: B*, **177**,855-861. (2012)
21. Seema H, Kemp K C, Chandra V, et al. Graphene-SnO₂ composites for highly efficient photocatalytic degradation of methylene blue under sunlight. *Nanotechnology*, **23**,355705, (2012)
22. Zhang J, Xiong Z, Zhao X S. Graphene-metal-oxide composites for the degradation of dyes under visible light irradiation. *Journal of Materials Chemistry*, **21**,3634-364, (2011),
23. Wang Zhao, Mao Feng, Huang Xiangping. Preparation and Photocatalytic activity of TiO₂/graphene composites, *Materials Science and Engineering*, **29**,267, (2011)
24. Chen C, Cai W, Long M, et al. Synthesis of visible-light responsive graphene oxide/TiO₂ composites with p/n heterojunction. *ACS Nano*, **4**, 6425–6432, (2010)
25. Zhang Q, He YQ, Chen XG, et al. Structure and photocatalytic properties of TiO₂ -graphene oxide intercalated composite. *Chinese Science Bulletin*, **56**,331–339, (2011)
26. Li B, Liu T, Wang Y, et al. ZnO/graphene-oxide nanocomposite with remarkably enhanced visible-light driven photocatalytic performance, *Journal of Colloid & Interface Science*. **377**,114–121, (2012)
27. Y.D. Duan, W. Lv, et al. Effects of inorganic salt ions on degradation of PVA wastewater CO₃O₄/GO supported catalysts. *Chinese Journal of Environmental Engineering*, **9**, 4839-4844, (2015)
28. R. F. Er, W. Jiang, et al. Graphene/ TiO₂ Treatment of Teramycin Hydrochloride Simulated Antibiotic Wastewater. *Journal of Harbin University of Commerce (Natural Sciences Edition)*, **3**,337-340, (2016)
29. S. Guo, G. k. Zhang, et al. Enhanced photo-Fenton degradation of rhodamine B using graphene oxide-amorphous FePO₄ as effective and stable heterogeneous catalyst, *Journal of Colloid and Interface Science*, **448**,460-466, (2015)
30. Z. I. Xiu, Y. z. Wu, et al. Graphene oxide wrapped Ag₃PO₄ sub-microparticles with highly enhanced photocatalytic activity and stability under visible light irradiation, *Materials Research Bulletin*, **59**,192-1988, (2014)
31. H. Zhang, X. Lv, et al. P25-graphene composite as a high performance photocatalyst. *Acs Nano*, **4**,380-386. (2010)
32. Yan Y, Sun S, Song Y, et al. Microwave-assisted in situsynthesis of reduced graphene oxide-BiVO₄ composite photocatalysts and their enhanced photocatalytic performance for the degradation of ciprofloxacin, *J Hazard material* **250-251**, 106-114. (2013)
33. T. T. Chen, I. C. Chang, et al. The exceptional photo-catalytic activity of ZnO/RGO composite via metal and oxygen vacancies. *Applied Catalysis B Environmental*, **s 142–143**,442-449., (2013)
34. Z. M. Wu. Preparation and application of graphene-based adsorption and photocatalytic materials, Thesis of South China University of Technology, (2014)
35. S. Lv, J. Wan, et al. Preparation of superlong TiO₂, nanotubes and reduced graphene oxide composite photocatalysts with enhanced photocatalytic performance under visible light irradiation, *Journal of Materials Science Materials in Electronics*, **1-8**. (2017)
36. Jian-Ding Q, Guo-Chong W, Ru-Ping L, et al. Controllable Deposition of Platinum Nanoparticles on Graphene As an Electrocatalyst for Direct Methanol Fuel Cells. *Journal of Physical Chemistry*, **115**,15639-15645, (2011)
37. Z. L. Hu, X. F. Li, et al. Research Progress of Graphene Materials in Water Treatment. *Jorunal of Functional Materials*, **S1**,1-6. (2016)
38. T. Fu, Application of Graphene Composites in Water Treatment. *Environmental Science and Management*, **02**,111-114. (2017)